

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1991	((search\$3 or quer\$5 or retriev\$3) with (related or relevan\$5) with (categor\$7 or cluster\$3 or database\$2 or group)) and (@ad<"20010724") and ("707"/\$.ccls. or "705"/\$.ccls. or "715"/\$.ccls.)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/08/30 15:25
S2	584	((search\$3 or quer\$5 or retriev\$3) with (related or relevan\$5) with (categor\$7 or cluster\$3 or database\$2 or group)) and (@ad<"20010724") and ("707"/\$.ccls. or "705"/\$.ccls. or "715"/\$.ccls.) and ((index\$3 with (result\$2 or document\$2 or page\$2 or file\$2)) same (search\$3 or quer\$3 or retriev\$3 or match\$3 or return\$3 or diplay\$3 or output\$5))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/11/16 17:40
S3	67	((search\$3 or quer\$5 or retriev\$3) with (related or relevan\$5) with (categor\$7 or cluster\$3 or database\$2 or group)) and (@ad<"20010724") and ("707"/\$.ccls. or "705"/\$.ccls. or "715"/\$.ccls.) and ((index\$3 with (result\$2 or document\$2 or page\$2 or file\$2)) same (search\$3 or quer\$3 or retriev\$3 or match\$3 or return\$3 or diplay\$3 or output\$5)) and (engine with (categor\$7 or group\$3 or cluster\$3) with (page or document or file or record))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/11/16 16:31
S4	403	((search\$3 or quer\$5 or retriev\$3) with (related or relevan\$5) with (categor\$7 or cluster\$3 or database\$2 or group)) and (@ad<"20010724") and ("707"/\$.ccls. or "705"/\$.ccls. or "715"/\$.ccls.) and ((index\$3 with (result\$2 or document\$2 or page\$2 or file\$2)) same (search\$3 or quer\$3 or retriev\$3 or match\$3 or return\$3 or diplay\$3 or output\$5)) and (threshold or weight or rank\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/11/16 16:33

S5	126	(engine with (categor\$7 or group\$3 or cluster\$3 or classif\$5) with (page or document or file or record)) and (@ad<"20010724") and ("707"/\$.ccls. or "705"/\$.ccls. or "715"/\$.ccls.) and ((index\$3 with (result\$2 or document\$2 or page\$2 or file\$2)) same (search\$3 or quer\$3 or retriev\$3 or match\$3 or return\$3 or diplay\$3 or output\$5))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/11/16 17:18
S6	93	(engine with (categor\$7 or group\$3 or cluster\$3 or classif\$5) with (page or document or file or record)) and (@ad<"20010724") and ("707"/\$.ccls. or "705"/\$.ccls. or "715"/\$.ccls.) and ((index\$3 with (result\$2 or document\$2 or page\$2 or file\$2)) same (search\$3 or quer\$3 or retriev\$3 or match\$3 or return\$3 or diplay\$3 or output\$5)) and (threshold or weight or rank\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/11/16 20:10
S7	5	(search\$3 or quer\$3 or retriev\$3). ab. and (yahoo\$.as. and (@ad<"20010724") and ("707"/\$.ccls. or "705"/\$.ccls. or "715"/\$.ccls.) and (categor\$7 or group\$3 or cluster\$3 or classif\$5 or topic)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/11/16 17:22
S8	1	(search\$3 or quer\$3 or retriev\$3). ab. and (yahoo\$.as. and (@ad<"20010724") and ("707"/\$.ccls. or "705"/\$.ccls. or "715"/\$.ccls.) and (categor\$7 or group\$3 or cluster\$3 or classif\$5 or topic) and ((index\$3 with (result\$2 or document\$2 or page\$2 or file\$2)) same (search\$3 or quer\$3 or retriev\$3 or match\$3 or return\$3 or diplay\$3 or output\$5)) and (threshold or weight or rank\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/11/16 17:22
S9	50	(engine with (categor\$7 or group\$3 or cluster\$3 or classif\$5) with (page or document or file or record)) and (@ad<"20010724") and ("707"/\$.ccls. or "705"/\$.ccls. or "715"/\$.ccls.) and ((index\$3 with (result\$2 or document\$2 or page\$2 or file\$2)) same (search\$3 or quer\$3 or retriev\$3 or match\$3 or return\$3 or diplay\$3 or output\$5)) and (weight or rank\$3) and threshold	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/11/16 20:11

S10	8752	((search\$3 or quer\$5) with (select\$3 or choos\$3 or pick\$3 or identif\$5) with database\$2) and (@ad<"20010724")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/08/30 15:27
S11	2667	((search\$3 or quer\$5) with (select\$3 or choos\$3 or pick\$3 or identif\$5) with database\$2) and (pluralit\$3 with database\$2) and (@ad<"20010724")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/08/30 15:28
S12	1234	((search\$3 or quer\$5) with (select\$3 or choos\$3 or pick\$3 or identif\$5) with database\$2) and (pluralit\$3 with database\$2) and (@ad<"20010724") and "707"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/08/30 15:34
S13	182	((search\$3 or quer\$5) with (select\$3 or choos\$3 or pick\$3 or identif\$5) with (related or relevant\$3 or qualified or matched) with database\$2) and (pluralit\$3 with database\$2) and (@ad<"20010724") and "707"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/08/30 15:38
S14	380	((search\$3 or quer\$5) and ((select\$3 or choos\$3 or pick\$3 or identif\$5) with database\$2)).ab. and (@ad<"20010724") and "707"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/08/30 15:36
S15	68	((search\$3 or quer\$5) with (select\$3 or choos\$3 or pick\$3 or identif\$5) with (relat\$3 or relevant\$3 or qualif\$5 or match\$5) with database\$2).ab. and (@ad<"20010724") and "707"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/08/30 15:46
S16	14	((search\$3 or quer\$5) with (select\$3 or choos\$3 or pick\$3 or identif\$5) with (relat\$3 or relevant\$3 or qualif\$5 or match\$5) with database\$2).ab. and (pluralit\$3 with database\$2).ab. and (@ad<"20010724") and "707"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/09/03 12:47
S17	389	exclusion near3 list	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/09/03 13:35
S18	676	inclusion near3 list	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/09/03 13:43

S19	6	(exclusion near3 list) and (inclusion near3 list) and (search\$3 or quer\$5).ab. and (@ad<"20010724")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/09/03 13:46
S21	97	seed near3 document	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/09/03 14:53
S22	4	((seed near3 document) same (evaluat\$3 or rank\$3 or weight\$3)) and (@ad<"20010724")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/09/03 15:08
S23	1	((select\$3 with (seed near3 document)) same (compar\$3 or evaluat\$3 or rank\$3 or weight\$3)) and (@ad<"20010724")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/09/03 14:58
S24	9	((seed near3 document) same (categor\$3 or cluster\$3 or group\$3)) and (@ad<"20010724")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/09/03 15:09
S25	5	(meta with search\$3 with engine). ab. and (@ad<"20010724")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/06/10 15:00
S26	2	"6711569".pn. or "6741979".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/06/10 12:45
S27	10481	707/1-10.ccls. and (@ad<"20010724")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/06/10 15:05
S28	18	707/1-10.ccls. and (@ad<"20010724") and (meta with search\$3 with engine) and ((database or engine) with (associat\$3 or match\$3 or link\$3 or classif\$7) with (subject or purpos\$7 or categor\$5))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/06/10 15:24
S29	2954	((pluralit\$5 or list) with (database or (search\$5 near3 engine))) and ((database or (search\$3 near2 engine)) with (associat\$3 or connect\$3 or match\$3 or link\$3 or classif\$7 or categor\$5 or own or different) with (subject or purpos\$7 or business or area)) and (@ad<"20010724")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/06/10 15:55

S30	978	((pluralit\$5 or list) with (database or (search\$5 near3 engine))) and ((database or (search\$3 near2 engine)) with (associat\$3 or connect\$3 or match\$3 or link\$3 or classif\$7 or categor\$5 or own or different) with (subject or purpos\$7 or business or area)) and (@ad<"20010724") and ((search\$3 or quer\$5) with (particul\$5 or related or relative or interest\$3 or match\$3) with (database or (search\$3 near2 engine)))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/06/11 15:32
S31	853	((pluralit\$5 or list) with (database or (search\$5 near3 engine))) and ((database or (search\$3 near2 engine)) with (associat\$3 or connect\$3 or match\$3 or link\$3 or classif\$7 or categor\$5 or own or different) with (subject or business or area or usage)) and (@ad<"20010724") and ((search\$3 or quer\$5) with (particul\$5 or related or relative or interest\$3 or match\$3) with (database or (search\$3 near2 engine)))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/06/10 15:57
S32	309	((pluralit\$5 or list or set) with ("databases" or (search\$5 near3 "engines"))) and ((database or (search\$3 near2 engine)) with (associat\$3 or connect\$3 or match\$3 or link\$3 or classif\$7 or categor\$5 or own or different) with (subject or purpos\$7 or business or area)) and (@ad<"20010724") and ((submit\$5 or receiv\$3 or mathc\$3 or link\$3) with (search\$3 or quer\$5) with (particul\$5 or related or relative or interest\$3 or match\$3) with (database or (search\$3 near2 engine)))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/06/11 19:07
S33	8638	((compar\$3 or match\$3 or determin\$3 or identif\$5) with (document or page or file or record) with (group or class\$9 or cluster or subject)) and (@ad<"20010724")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/06/11 19:10

S34	138	((compar\$3 or match\$3 or determin\$3 or identif\$5) with (document or page or file or record) with (group or class\$9 or cluster or subject)) and (@ad<"20010724") and ((submit\$5 or receiv\$3 or mathc\$3 or link\$3) with (search\$3 or quer\$5) with (particul\$5 or related or relative or interest\$3 or match\$3) with (database or (search\$3 near2 engine)))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/06/11 19:21
S35	205	((compar\$3 or match\$3 or determin\$3 or identif\$5 or evaluat\$3) with (document or page or file or record) with (relevan\$7) with (group or class\$9 or cluster or subject)) and (@ad<"20010724")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/06/12 14:44
S36	77	(user with (limit\$3 or restrict\$3 or specif\$5) with number with (hit or match or result) with (returned or displayed or retrieved)) and (@ad<"20010724")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/06/12 18:54